







Search PubMed	▼ for Tsichlis PN	Go Clear
	And the second of the second o	Que de la
	Display Summary Shew 20 Sort	Send to Text
	Items 1-20 of 104	Page 1 of 6 to the
Entreprise (1) control (1)	T1: Fliopoidos AG, Danatra CD, Wang CC, Cho J, Tsiehlis PN Related Arthesis Lows Induction of COX-2 by LPS in macrophages is regulated by Tpl2-dependent CREB activation signals. FMBO J. 2002 Sep 16:21(18):4831-40. PMID: 12234923 [PubMed - indexed for MEDLINE]	
Parties Serius Works Claus Units Lin Tenning To The Serius Lin Tenning To The Ten	☐ 2:Das S, Lin JH, Papamatheakis J, Sykulev Y, Tsichlis PN. Related Articles Links Differential splicing generates Tvl-1 RFXANK isoforms with different functions. J Biol Chem. 2002 Nov 22:277(47):45172-80. PMID: 12215433 [PubMed - indexed for MEDLINE]	
Relation Rose on Escaped No. 1 (1997) and the control of the contr	3:Chan TO, Rodeck U, Chan AM, Kimmeiman AC, Ritte Panayotou G, Tsichiis PX Small GTPases and tyrosine kinases coregula phosphoinositide 3-kinase regulatory subunit Cancer Cell (2002 Mar;1(2):181-91) PMID: 120868 6 [PubMed - indexed for MEDLINE]	ite a molecular switch in the
Privary corry	4:Znu J. Guo F. Min B. Watson CJ. Hu Li J. Young HA. Islieblis PX — Registres Actions Fines Paul WE. Growth factor independent-1 induced by IL-4 regulates Th2 cell proliferation. Immunity, 2002 May;16(5):733-44. PMID: 12049724 [PubMed - indexed for MEDLINE]	
	5:Hiopoulos AG, Davies C, Blake SS, Murray P, Najafipour S, Tsichlis Related Actores Times PN, Young LS The oneogenic protein kinase Tpl-2 Cot contributes to Epstein-Barr virus-encoded latent infection membrane protein 1-induced NF-kappaB signaling downstream of TRAF2. JA irol. 2002 May:76(9):4567-79 PMID: 11932422 [PubMed - indexed for MFDLINI*]	
	F 6: Char doc teaches PN PDK2: a complex tail in one Akt. Sci STKL, 2001 Jan 23,2001(66):PF1 Review; PMID: 11752635 [PubMed - indexed for MI DLINE]	ne de ledies i 185
	7. Maktom S. Lilick & mps. D. Cov. ID. Asiablis PN	Walion for the Control of the Contro

Lumor induction by an Lek-Myr.Akt transgene is delayed by mechanisms

controlling the size of the thymus.

Proc Natl Acad Sci U.S. A. 2001 Dec 18,98(26) 14967-72.

PMID: (1752445 [PubMed - indexed for MLDLINL]).

F 8: Sar M. Warger, strong at the data REY and ZQ. Ma Ma Steller, and a second strong strong

AKT1 PKBalpha kinase is frequently elevated in human cancers and its constitutive activation is required for oneogenic transformation in NIH3T3 cells

Am J Pathol. 2001 Aug. 159(2):431-7.

PMID: 11485901 [PubMed - indexed for MEDLINE]

9: Mende I. Malstrom S. Tsiehlis P's, Vogt PK, Aoki M.

Service Control of the Control

Oncogenic transformation induced by membrane-targeted Akt2 and Akt3. Oncogene, 2001 Jul 19:20(32):4419-23.

PMID. 11466625 [PubMed - indexed for MEDLINE]

10: Patriotis C., Russeva MO, Lin JH, Srimvasala SM, Markova DZ, hadas grade to see Is at smis C. Makris A. Alnemr TS, Tsachlis PN

Tpl-2 induces apoptosis by promoting the assembly of protein complexes that contain caspase-9, the adapter protein Tvl-1, and procaspase-3. I Cell Physiol, 2001 May:187(2):176-87.

PMID: 11267997 [PubMed - indexed for MEDLINE]

11: Dimitru CD, Ceci JD, Tsatsanis C, Konioyiannis D, Stamatakis K. Metated Ching in the Tin JH, Patriotis C, Jenkins NA. Copeland NG, Kollias G, Tsichlis PN

TNF-alpha induction by LPS is regulated posttranscriptionally via a Tpl2 ERK-dependent pathway.

Cell, 2000 Dec 22:103(7):1071-83.

PMID: 11163183 [PubMed - indexed for MEDLINE]

12: Povet JL: Srimvasula SM: Um JH: Cernandes-Ainemi T: Yamaoka (1996) 15: Except (1996) 8: Ts chlis PN: Alnemi FS

Activation of the Ikappa B kinases by RIP via IKKgamma NEMO-mediated oligomerization.

J Biol Chem. 2000 Dec 1:275(48):37966-77

PMID: 10980203 [PubMed - indexed for MEDLINF]

13: De Vita G. Berbuggeri MT. Vis. onti R. Cistedone MD. Viglietto G. Whigher and the Core Baldassarre G. Zannur M. Bellacosa A. Esichus FN, Eusco A. Santoro M.

Akt protein kinase B promotes survival and hormone-independent proliferation of thyroid cells in the absence of dedifferentiating and transforming effects.

Cancer Res. 2000 Jul 15,60c14+3916-20.

PMID: 10919669 [PubMed - indexed for MEDLINE]

14: De Vita G. Merillo RM. Carlon agnod. A sconti R. Castellone MD. (1999) 17: 17: 18: 19: 18: Bella, ora. A. Billafiel M. Fu escal, Forenis PN, Samoro M.

Tyrosine 1062 of RET-MEN2A mediates activation of Akt (protein kinase B) and mitogen-activated protein kinase pathways leading to PC12 cell survival

Cancer Res. 2000 Jul 15,60(14) 3727-31

PMID 1001061 PobMed - indexed for MEDITAL

□ 15: 10 Rm. 10 Rm. 14: No. 14: Ch. 5 PN	the product of the second
AKT PKB and other D3 phosphoinositide-regulate	ed kinases: kinase
activation by phosphoinositide-dependent phospho	
Annu Rev Brochem 1999,08 905-1014 Review	.,
PMID_10872470 [PubMed - indexed for MEDLINE]	
[16: Kampranis Sc., Damianova R., Makah M., 1609 G. Kond, G.	isaliisaa ya jaar ah
PN Mak'ts AM	
A novel plant glutathione S-transferase peroxidase in yeast	suppresses Bax lethality
J Biol Chem 2000 Sep 22:275(38)(29207-16	
PMID: 10859306 [PubMed - indexed for MEDLINE]	
17:Osada M. Tolkacheva T. Li W. Chan TO, Tsichlis PN, Saez Kimmelman AC, Chan AM.	R. Perated Articles in his
Differential roles of Akt, Rac, and Ral in R-Ras-me	ediated cellular
transformation, adhesion, and survival.	
Mol Cell Biol. 1999 Sep;19(9):6333-44.	
PMID: 10454580 [PubMed - indexed for MEDLINL]	
T 18: Sunvasula SM, Almad M, Un JH, Poyet JL, Fernandes Ali Tsichiis PN, Almemo LS	iemri I. Allatia "ribus", -res
CLAP, a novel caspase recruitment domain-contain	ning protein in the tumor
necrosis factor receptor pathway, regulates NF-kar	
apoptosis.	quis de livation and
J Biol Chem. 1999 Jun 18,274(25) 17946-54.	
PMID: 10364242 [PubMed - indexed for MEDLINE]	
[19:1 m.H. Makris A. McMahon C. Bear St., Patriotis C. Prasad	INR. Related Articles lenks
Brent R. Golems LA. Tsichlis PN.	1 in a second automorphism
The ankyrin repeat-containing adaptor protein TvI-	-1 is a novel substrate and
regulator of Raf-1. J Biol Chem 1999 May 21:274(21):14706-15.	
PMID: 10329666 [PubMed - indexed for MEDLINE]	
, , , , , , , , , , , , , , , , , , , ,	
20: Kurowski TG, Lin Y, Luo Z, Tsichfis PN, Buse MG, Heydric Ruderman NB.	ck SJ Rélated Articles Links
Hyperglycemia inhibits insulin activation of Akt pr	rotein kinase B but not
phosphatidylinositol 3-kinase in rat skeletal musele	2.
Diabetes, 1999 Mari48(3):658-63.	
PMID: 10078574 [PubMed - indexed for MEDLINF]	
Display Summary Show 20 Sort	Send to Text •
Items 1-20 of 104	age 1 of 6 Nov

Write to the Help Desk NCBI | NIM | NIH Department of Health & Human Services Freedom of Information Act | Disclaimer







Search PubMed ▼ for Grimes HL Clear Gol Preside Inde. Histor, C phoard Deta-s -||Sort Summary **→** Show: 20 Send to Text Display Items 1-12 of 12 One page. 1. Wallis D. Hamblen M. Zhou Y. Venken KJ. Schumacher A. Grimes Related Articles Links Engley Pl. 1966 HL, Zoghbi HY, Orkin SH, Bellen HJ 1, 22 4ec 140 The zinc finger transcription factor Gff1, implicated in lymphomagenesis, is required for inner ear hair cell differentiation and survival. Development, 2003 Jan;130(1):221-32 PMID: 12441305 [PubMed - indexed for MEDLINE] -0 1 f. - 1 ··· 2:Uthoff SM, Fichenberger MR, Lewis RK, Fox MP, Hamilton CJ, Related Articles 1-0*\$. Transcondi Magazine McAuliffe 11. Grimes III. Gaiandiuk S. Geigle Charles Maldha Baron Grander Marcha Identification of candidate genes in ulcerative colitis and Crohn's disease using cDNA array technology. Clinical Alames Int J Oncol. 2001 Oct; 19(4):803-10. Late March PMID: 11562759 [PubMed - indexed for MEDLINE] C : r . 3: Muse-Helmericks RC, Grimes III., Bellacosa A, Malstrom SF. Rollated Articles Links Ream. Nes 1956 Isichlis PN, Rosen N th Alic Cyclin D expression is controlled post-transcriptionally via a phosphatidylmositol 3-kinase Akt-dependent pathway. Sur Train J Biol Chem. 1998 Nov 6,273(45),29864-72 Christial Assets PMID: 9792305 [PubMed - indexed for MEDLINE] Clarica.Thatsita. Public Delite 1. Long B. Grimes HL. Yang TY. Bear St., Qin Z. Du K. El-Deiry W.S. Related Adjoes Links Isichli, PN $(-1)^{n} = (-1)^{n}$ The Gfi-1B proto-oncoprotein represses p21WAF1 and inhibits myeloid cell differentiation. Mol Cell Biol. 1998 May:18(5):2462-73. PMID: 9566867 [PubMed - indexed for MEDLINE] 5: Ahmed NN, Grimes HL, Bellacosa A, Chan TQ, Tsichlis PN. Related Articles, Links Transduction of interleukin-2 antiapoptotic and proliferative signals via Akt protein kinase. Proc Natl Acad Sci U.S.A. 1997 Apr 15:94(8):3627-32 PMID: 9108028 [PubMed - indexed for MEDLINE] F 6: Grimes HE, Gilks CB, Chan TO, Poiter S, Tsichus PN The Gff-1 protooncoprotein represses Bax expression and inhibits T cell Proc Natl Acad Sci U.S.A., 1996 Dec 10:93(25):14569-73 PMID: 8962093 [PubMed - indexed for MEDLINE] T 7:000 2 HEALER TO ZNEU GNICKEN PALTOE BUTSCHISTN The Gfi-1 proto-oncoprotein contains a novel transcriptional repressor

domain, SNAG, and inhibits G1 arrest induced by interleukin-2 withdrawal Mol Cell Biol 1996 Nov. [6:11:6263-72] PMID 8887656 [PubMed - indexed for MEDLINL]
□ 8: Zweid er-Mesay PA, tri mes Hill, Figuacher MM. Uscolis (PX) = 1000 to 1 ± 1000 to 1.000.
Cifi-1 encodes a nuclear zinc finger protein that binds DNA and functions as a transcriptional repressor. Mol Cell Biol. 1996 Aug. 16(8):4024-34 PMID: 8754800 [PubMed - indexed for MEDEINE]
9:Bell DW, Taguchi T, Jenkins NA, Gilbert DJ, Copeland NG, Gilks — Related Articles (1908) CB, Zweidler-McKay P, Grimes HL, Tsiehlis PN, Testa JR. Chromosomal localization of a gene, GFT, encoding a novel zinc finger protein reveals a new syntenic region between man and rodents. Cytogenet Cell Genet. 1995;70(3-4):263-7. PMID: 7789186 [PubMed - indexed for MEDLINE]
Till): Gripo is III. Ambrose MR. Goodenow MM
C-ski transcripts with and without exon are expressed in skeletal muscle and throughout chick embryogenesis. Oncogene, 1993 Oct.8(10):2863-8. PMID: 8378095 [PubMed - indexed for MEDI INF]
Fig. 1. of the control of the contro
Progression of interleukin-2 (IL-2)-dependent rat T cell lymphoma lines to IL-2-independent growth following activation of a gene (Gff-1) encoding a novel zinc finger protein. Mol Cell Biol. 1993 Mar:13(3):1759-68. PMID 8441411 [PubMed - indexed for MEDLINE]
12:Grimes HL., Szente BL, Goodenow MM. Related Articles Links
C-ski cDNAs are encoded by eight exons, six of which are closely linked
within the chicken genome. Nucleic Acids Res. 1992 Apr 11:20(7):1511-6. PMID: 1579443 [PubMed - indexed for MEDLINE]
Display Summary Show: 20 Sort Send to Text
Items 1-12 of 12 (One page

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

Privacy Perry







Search PubMed Go Clear ▼ Tor Zweidler-McKay P 250313 Deta s ..; Sort • \how 20 Send to Text Display Summary One page. Items 1-3 of 3 स्थान् ज्या एक एक्ट्राइप Entra Politica 1: Grimes HL, Chan TO, Zweidier-McKay PA, Tong B, Tsichlis PN The Gfi-1 proto-oncoprotein contains a novel transcriptional repressor 144 B domain, SNAG, and inhibits G1 arrest induced by interleukin-2 withdrawal. Litonal Mol Cell Biol. 1996 Nov:16(11):6263-72. New Notes, or Pv PMID: 8887656 [PubMed - indexed for MEDLINE] - Utitors P. Mere. . . 2:Zweidler-Mckay P.A. Orimes HL. Flubacher MM, Tsichlis PN. Related Articles Links Gfi-1 encodes a nuclear zinc finger protein that binds DNA and functions as SAge to San to Bator Court of Markey a transcriptional repressor. Mol Cell Biol. 1996 Aug; 16(8): 1021-34 PMID: 8754800 [PubMed - indexed for MEDLINE] 1 t 1 T. 3. Belt DW. Taguchi T. Jenkins NA. Gilbert DJ. Copeland NG. Gilks ... Agreement 1999. CB. Zweidler-McKay P. Grimes HL. Tsientis PN. Testa JR. Rélated Russu 188 Chromosomal localization of a gene. GF1, encoding a novel zinc finger protein reveals a new syntenic region between man and rodents. Cytogenet Cell Genet, 1995;70(3-4):263-7 PMID: 7789186 [PubMed - indexed for MEDLINE] Canada Earle Olimbai Harryit z Papilled Confid

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer